



# IETF 78 - HTTPbis -10 Changes Overview

[Julian Reschke](#), greenbytes

## History

- -05: published November 2008 (during IETF 73)
- -06: published March 2009 (before IETF 74)
- -07: published July 2009 (before IETF 75)
- -08: published October 2009 (before IETF 76)
- -09: published March 2010 (before IETF 77)
- -10: published July 2010 (before IETF 78)

## Changes (1/3)

non-specific

- IANA registry for content/transfer encodings  
(<http://trac.tools.ietf.org/wg/httpbis/trac/ticket/143>) - editorial

## Changes (2/3)

### Part 1

- Clarification of the term "deflate" (<http://trac.tools.ietf.org/wg/httpbis/trac/ticket/78>)
- OPTIONS \* and proxies (<http://trac.tools.ietf.org/wg/httpbis/trac/ticket/83>)
- Case-sensitivity of HTTP-date (<http://trac.tools.ietf.org/wg/httpbis/trac/ticket/165>)
- Term for the requested resource's URI (editorial) (<http://trac.tools.ietf.org/wg/httpbis/trac/ticket/196>) - editorial
- use of term "word" when talking about header structure (<http://trac.tools.ietf.org/wg/httpbis/trac/ticket/200>) - editorial

## Changes (3/3)

### Part 3

- Content Sniffing (<http://trac.tools.ietf.org/wg/httpbis/trac/ticket/155>)

### Part 6

- Age Calculation (<http://trac.tools.ietf.org/wg/httpbis/trac/ticket/29>)
- Request and Response CC directive requirements (<http://trac.tools.ietf.org/wg/httpbis/trac/ticket/168>) - editorial
- Caching Authenticated Responses (<http://trac.tools.ietf.org/wg/httpbis/trac/ticket/174>)
- Heuristic Caching of URLs with Query Components (<http://trac.tools.ietf.org/wg/httpbis/trac/ticket/211>)